Phobia Self-Test

Is it possible that I have symptoms of a Phobia?

Evaluate how often the following appear in your life.

	Question	<u>Never</u>	<u>Sometimes</u>	<u>Often</u>	<u>Always</u>
1.	You have panic attacks for no apparent reason.				
2.	You are afraid of having a panic attack.				
3.	You have a sudden onset of any of the following physical symptoms even though you have not exerted yourself: racing heart, sweating, shortness of breath.				
4.	You have extreme, uncontrollable worry about multiple concerns, e.g. finances, health, employment, family, being lateeven if should not be serious concerns.				
5. 6.	You believe that it is best to prepare yourself for the worst at all times. You believe that any strange situation should be				
	regarded as dangerous.				
7.	You often wake up in the early morning hours.				
8.	How often do you have any of the following symptoms: trembling, twitching, feeling shaky, muscle tension, aches, soreness, restlessness?				
9.	You have insomnia or oversleeping.	. <u></u>			
10	. You feel guilty, helpless or hopeless.				
11	. You lack energy and feel listless.				
12	. You have increased or decreased appetite.				
13	. You need others to help you do things that most people can do on their own, and that you once were able to do unaided.				
14	. You feel isolated.				
15	. You feel excessive embarrassment in social, evaluative or performance situations.				
16	. You avoid situations where you will be the center of attention or be forced to socialize with strangers.				
17	. You avoid performing any of the following activities in front of others: Eating, drinking, speaking or using a public toilet.				

Question	<u>Never</u>	<u>Sometimes</u>	<u>Often</u>	<u>Always</u>
18. If you are forced to do any of the following, you immediately become tense and worry: public speaking or eating, using a public lavatory, being				
asked a question in public. 19. You cross the street to avoid greeting a person you know.				
20. You suffer from fatigue.				
21. You have difficulty concentrating.				
22. You feel tense or restless.				
23. Some rituals that you often perform (hand washing/exercise/checking locks) do not bring you pleasure, but they release tension, e.g. after you have checked all of the locks thoroughly you feel that you can safely relax.				
24. You are meticulous.				
25. You need structure and rigidity.				
 26. You are in constant doubt about how your behavior will influence your environment. 27. You find a seculated in other (nearly a static seculated in the final) seculated in the final sec				
 You feel anaesthetized to (unable to feel) certain emotions or feel detached or estranged from others around you. 				
28. You feel a sense of a foreshortened future, e.g. doubt that you will ever get married, have a career, or live a long life.				
29. You have a constant sense of stimulation or excitement, which is causing you to feel irritable, have outbursts of anger, or startled response to regular things.				
30. You try to avoid, or have lost interest in, activities or situations that you associate with a traumatic experience.				